



WIDE FORMAT &
DIGITAL PRINT MEDIA

Display
Solutions



Zoom Board™ QM-2436VPWG:
Gloss rigid microporous inkjet
compatible board w/anti-slip backside

Ideal for flatbed print systems, *Zoom Board™* is a great solution for countless graphic displays that demand a rigid, durable print media. Its microporous surface accepts Aqueous, Latex and UV ink-sets.



Benefits:

- Rigid .8MM Thick
- Anti-slip Backside
- Durable Corners/Edges
- Water Resistant
- Can be cut, drilled and grommeted

Applications:

- General Signage
- Hanging Signage
- Yard Signage
- Easel Displays
- Cue Cards
- Drop-in Sign Frames

Registered Latex Developer



TECHNICAL DATA:

SURFACE FINISH:	Gloss	OPACITY:	100
SURFACE MATERIAL:	Polypropylene	DURABILITY:	Indoor: Up to 1 year Outdoor: Up to 6 months
THICKNESS:	.8MM	SHEET SIZES:	24" x 36"
BRIGHTNESS:	85 (ISO Blue Whiteness)	SHEETS PER BOX	50
WHITENESS	83 (CIE Ganz)	PRINT SIDE:	Single Side Print
GLOSS MEASUREMENT:	25 +/- 10% by angle of 60°	INK RECOMMENDATIONS:	 AQUEOUS  LATEX  UV



This media is designed for digital printing applications using OEM printers with their accompanying OEM ink sets. Although designed for all printers using the aforementioned OEM matching ink sets; actual results may vary depending on printer model, age, print design, environmental conditions, and other factors. Exposure of a print to atmospheric pollutants, or to temperature, humidity, and / or lighting extremes can result in fading, color shifting, or other visual changes. The ideal conditions for printing and storage are a temperature of 70°F ±5°F and relative humidity of 50% RH ±3% RH. Our wide format media is guaranteed against manufacturing flaws and defects and is designed to resist printer jams when used properly. Storage: Up to one year if stored in proper conditions (cool, dry place 50-80°)

